

THE MUNICIPALITY OF SOUTH BRUCE

BY-LAW NUMBER 14-2008

A By-Law to Provide for the Owners of Privately-Owned Outdoor Swimming Pools to Erect and Maintain Swimming Pools and Enclosures

WHEREAS pursuant to Section 11 (3) par. 7 of the *Municipal Act*, S.O. 2001, c.25, as amended, provides that a by-law may be passed respecting structures, including fences;

AND WHEREAS Section 391 (1) of the *Municipal Act*, S.O. 2001, c.25, as amended, provides that a municipality may pass by-laws imposing fees or charges for services or activities provided or done by or on behalf of it;


AND WHEREAS it is expedient to impose fees for certain services;

AND WHEREAS it is the intention of the Municipality of South Bruce to prevent unintentional injury and drowning caused by the failure of property owners to provide and erect approved and acceptable swimming pools and enclosures;

NOW THEREFORE the Council of the Corporation of the Municipality of South Bruce enacts:

PART 1 DEFINITIONS AND INTERPRETATION

1. For the purpose of this by-law, the following terms shall have the meanings indicated:
 - (a) **“Boundary or Property Fence”** means any barrier or structure constructed of chain link metal, wood, stone, metal, concrete, brick or other similar materials or combination of such materials, which is erected for the purpose of screening, safeguarding, retaining or enclosing property or delineating property lines (see picture below);



- (b) **“Building”** means any permanent and/or temporary structure used or intended to be used for shelter, accommodation, or enclosure of persons, animals, or goods, but shall not include a lawful boundary fence;
 - (c) **“Chief Building Official”** means the person appointed by the Municipality of South Bruce to such a position pursuant to the *Building Code Act*;
 - (d) **“Fence Height”** means the height measured from the finished floor level or ground level at any point along the length of the fencing to the top of the fence, measured on the outside of the fencing;
 - (e) **“Finished Floor Level”** means a permanent stable surface, such as the top of wood, concrete or brick;
 - (f) **“Finished Ground Level”** means a permanent ground level, such as grass, soil or gravel;

- (g) **“Gate”** means any part of a swimming pool fence which opens on hinges.
 - (h) **“Hydro-Massage Pool”** or pools commonly referred to as hot tubs, Jacuzzis, whirlpools, spas and other similar products.
 - (i) **“Immediate Pool Area”** means the surrounding area that contains items used for pool activities, including pool equipment, changing sheds, patio furniture and similar items used in conjunction with the use of the pool;
 - (j) **“Inside of the Pool Enclosure”** means that side of the fence or gate that faces the pool area;
 - (k) **“Maintain”** means to keep a pool enclosure in a condition that meets the requirements of this by-law and to preserve the condition of the pool enclosure from failure or decline in order to ensure safety and strength.
 - (l) **“Outside of the Pool Enclosure”** means that side of the fence or gate that faces away from the pool area;
 - (m) **“Owner”** includes the registered owner of any property; the person for the time being managing or receiving the rent of the land or premises in connection with which the word is used, whether on the person’s own account or as agent or trustee of any other person, or who would so receive the rent if such land and premises were leased, and a lessee, tenant, mortgagee in possession, or person occupying or in charge of the property;
 - (n) **“Pool Enclosure”** means a permanent three-sided fence, which includes a self-closing and self-latching gate, and which surrounds a pool with the intention of restricting access from outside the pool enclosure;
 - (o) **“Permit”** or **“Pool and Enclosure Permit”** means a permit issued under this by-law by the Chief Building Official;
 - (p) **“Replacement”** means the construction of a swimming pool and/or swimming pool fence that takes the place of a swimming pool and/or swimming pool fence previously constructed;
 - (q) **“Self-Closing Device”** means a mechanical device or spring that returns a swimming pool enclosure gate to its closed position within 30 seconds after it has been opened;
 - (r) **“Self-Latching Device”** means a mechanical device or latch that is engaged each time the gate is secured to its closed position, which will not allow the swimming pool enclosure gate to be re-opened by pushing or pulling, and which will ensure the swimming pool enclosure gate remains closed until unlatched by either lifting or turning the device itself directly or by a key;
 - (s) **“Swimming Pool”** or **“Pool”** means an excavation, structure or product, which is:
 - (i) located outdoors on private property;
 - (ii) capable of being used for the purposes of swimming, wading, paddling or bathing;
 - (iii) capable of holding water in excess of 0.76m (2 feet 6 inches) in depth at any point;
- for the purposes of this by-law does not include any pool which is:
- (1) a pond or reservoir to be utilized for farming purposes or as part of a golf course;
 - (2) a pool owned by any public or governmental body, agency or authority, or is under the jurisdiction of the Ontario Building Code;
 - (3) an existing swimming pool, temporary pool, Hydro-Massage pool, natural body of water or stream; or
 - (4) a privately owned storm water management facility;
- (t) **“Temporary Pool”** means a swimming pool that is designed to be removed periodically on a seasonal or more frequent temporary basis;
 - (u) **“Three-Sided Fence”** means a fence that uses a wall or side of a building with a door to enclose the pool area.

2. The requirements of this by-law are expressed in metric measurements. Any imperial measurements included in this by-law are approximate and are provided for convenience only.

PART 2 GENERAL PROVISIONS

Application of By-Law

3. **This by-law shall be administered by the Chief Building Official;**
4. This by-law shall apply to all pool enclosures constructed, or replaced, within the Municipality of South Bruce;
5. **When a Swimming Pool Fence is constructed so that it functions as a boundary fence between two or more adjacent properties, in addition to its function as a swimming pool fence, the provisions of this by-law prevail over any other Municipal by-law that regulates fences;**
6. In the event of any conflict between the provisions of this by-law and any provision of the Fence By-law, as may be amended or replaced from time to time, the provisions of this by-law shall prevail;
7. Notwithstanding Section 5,
 - a) no conflict exists between the provisions of this by-law and the provisions of any other by-law or approval if it is possible to comply with both by-laws by choosing an alternate type, design or location for a pool enclosure or pool;
 - b) nothing in this by-law permits the location of a pond, deck, platform or other structure in a location that is not permitted under the Municipality of South Bruce Zoning by-law.

PART 3 PROHIBITIONS

8. No person shall excavate, construct, install, or situate a pool; or cause a pool to be excavated, constructed, installed, or situated; or commence the excavation, construction, installation, placement **or replacement** of a pool without first obtaining a pool and enclosure permit from the Chief Building Official;
9. No person shall excavate, construct, install, or situate a pool; or cause a pool to be excavated, constructed, installed, or situated; or commence the excavation, construction, installation, placement **or replacement** of a pool that is not completely enclosed by a pool enclosure in accordance with this by-law;
10. No person shall construct or cause to be constructed any pool or enclosure that does not conform to the requirements of this by-law, or permit such non-conforming pool or enclosure to continue to enclose a pool;
11. No person shall fill a pool with water or cause a pool to be filled with water or allow water to remain in a pool unless:
 - a) the pool is enclosed by a pool enclosure, other than an approved temporary pool enclosure, meeting the requirements of this by-law; and
 - b) if the pool is a newly constructed pool, the Chief Building Official has been notified and the pool enclosure has been inspected and approved;
12. No person shall **remove**, alter or replace a pool enclosure **or any part thereof** without having first obtained a permit to do so from the Chief Building Official;
13. No owner shall fail to ensure that:
 - a) all gates forming part of the pool enclosure meet the standards of this by-law;

- b) all entranceways to a pool enclosure through a wall of a building meet the standards of this by-law; and
 - c) all gates forming part of a pool enclosure are locked when the area is not in active use;
14. No person shall place, pile, attach or lean any object or material against or near a pool enclosure so as to facilitate climbing of the pool enclosure, diminish the structural integrity of a pool enclosure or render the pool enclosure in non-conformity with the provisions of this by-law;
15. No person shall erect a fence adjacent to an existing pool enclosure that does not comply with the requirements of this by-law.

Prohibited Fences

16. No barbed wire, chicken wire or other barbed or sharp material shall be used in the construction of a pool enclosure.
17. No pool enclosure shall be used as a conductor of electricity.

PART 4 APPLICATIONS FOR PERMITS


18. Every application for a pool enclosure permit shall be in a form specified by the Chief Building Official and accompanied by:
- a) 1 sets of plans showing the location of the pool, all proposed pool equipment (such as filters, slides and heaters) and proposed landscape features in relation to property lines, buildings (including decks and shed), and easements;
 - b) complete details of the proposed pool enclosure, including the location and type of proposed fence and gate;
 - c) the permit fee(s) specified in the Municipality of South Bruce Building Fees By-Law;
 - d) the proposed access route for construction of the pool from any public right of way to the proposed pool location; and
 - e) if the proposed pool is within an unassumed plan of subdivision, the written approval of the developer/owner of the subdivision;
19. The Chief Building Official **may** issue a permit for a pool and enclosure where the plans submitted comply with the requirements of this by-law and all applicable regulations and by-laws or approvals. Without limiting the generality of the foregoing, the Chief Building Official shall not issue the permit for the pool and enclosure unless a site alteration permit, if required, has been obtained and the proposed location of the pool and pool enclosure complies with the Zoning By-law and any other applicable regulations, by-laws or approvals.

PART 5 STANDARDS FOR POOL ENCLOSURES

20. The owner of a privately-owned outdoor pool shall erect and maintain a pool enclosure that is designed to prevent climbing, restrict access to young children and satisfies the following standards:
- a) **Height:** the pool enclosure shall extend from the ground to a height of not less than 1.53m (5 feet). Height shall be measured from the finished ground level on the outside (not the pool side) of the pool enclosure (**NOTE: Inside fence height to comply with the Ontario Building Code**);
 - b) **Opening and Materials:**

- i) where the pool enclosure is constructed of chain link fence, the pool enclosure shall not have any openings that would allow the passage of a spherical object having a diameter exceeding 38 mm (1.5 inches) (see Figure 2);

Figure 2: Chain Link Openings



- ii) where the pool enclosure is constructed of vertical and horizontal members, if the horizontal structural members are greater than 114.3 cm (45 inches) apart, the horizontal members can be located on the outside of the pool enclosure and the spacing between each vertical member shall not exceed 100 mm (4 inches) (see Figure 3);

- iii) where the pool enclosure is constructed of vertical and horizontal members, if the horizontal structural members are less than 114.3cm (45 inches) apart, the horizontal members must be located inside the pool enclosure and the spacing between each vertical member should not exceed 44.45 mm (1.75 inches) (see Figure 4);

- c) **Ground Clearance:** the space at any point between the pool enclosure and the finished ground level and/or finished floor level must not exceed 100 mm (4 inches) and the ground beneath the pool enclosure cannot be loose gravel or other material that can be easily removed so as to afford access under the pool enclosure (see Figure 3 and 4 below);




Figure 4: Vertical and horizontal member spacing




Figure 3: Vertical and horizontal member spacing and ground clearance

- d) **Framing and Braces:** except as specified in Section 20.b ii) all horizontal structural members must be located inside of the pool enclosure as to prevent easy climbing; and
- e) **Location:** the pool enclosure should only enclose the immediate pool area and shall be located not less than 0.61m (2 feet) from any fence or structure that does not meet the requirements of this by-law.


GATES AND OTHER ACCESS POINTS

Gates

- 21. Every owner shall ensure that every gate forming part of a pool enclosure:

- (a) is constructed in accordance with the standards prescribed in section 20 of this by-law;
- (b) is supported on substantial hinges, capable of supporting 90.72kg (200 lbs.) in body weight;
- (c) is equipped with a self-closing device;
- (d) is equipped with a self-latching device that is located at least 1.22m (4 ft) above the finished floor level and/or finished ground level (Figure 5);

Fig. 5: Self-closing & self-latching gate



- (e) is equipped with a lock;

22. If the gate to the pool enclosure is a double gate access, made up of two gates at the same location:

- (a) one of the two gates shall have a self-closing device and self-latching device; and
- (b) the gate of this double gate access without a self-closing device and a self-latching device shall have a device permanently affixed to the ground or other non-movable object, which prevents access through this gate without lifting or removing this device and then releasing the latch.

TEMPORARY FENCE DURING CONSTRUCTION


23. The owner shall ensure that temporary fencing meeting the requirements of this section is in place during all phases of construction of the pool such that unauthorized access to the site is prevented. Temporary fencing shall be of 1.22m (4 feet) high snow fence, or such other fencing material with similar visibility, height and rigidity as may be approved by the Chief Building Official, and shall be securely attached at any opening when the area is left unattended.

PART 6 SPECIAL PROVISIONS

Above-Ground Pools

- 24. The vertical walls of an above-ground pool can be used as part of a pool enclosure provided that the vertical walls are at least 1.52m (5 feet) in height and do not possess any horizontal members that may facilitate climbing;
- 25. The ladder area, which provides access to the above-ground pool, must be enclosed by a pool enclosure as defined in this by-law (see Figure 6);

Figure 6: Above-ground pool with fenced ladder area



PART 8 ENFORCEMENT

- 26. Every person who contravenes any provision of this by-law and is found guilty of an offence and upon conviction shall be subject to a fine as prescribed in the *Building Code Act*, S.O. 1992, c23, as amended.**
- 27. Where anything required to be done in accordance with this by-law is not done, the Chief Building Official for the Corporation of the Municipality of South Bruce may, upon such notice as they deem suitable, do such thing at the expense of the person required to do it and such expense may be recovered by action or in like manner as municipal taxes within the meaning of Section 446 of the *Municipal Act*, S.O. 2001, c25., as amended.**

PART 9 REPEAL - ENACTMENT

- 28. By-Laws dealing with the regulation of swimming pools and swimming pool fences and all of their amendments are hereby repealed.**
- 29. This By-Law comes into force on the date of passing.**

READ A FIRST AND SECOND TIME this day of , 2008

READ A THIRD TIME AND FINALLY PASSED this day of , 2008

MAYOR

CLERK

SEAL